Deprecated: Function utf8_decode() is deprecated since 8.2, visit the php.net documentation for various alternatives in **/home/beqsaleshost/public_html/libraries/vendor/joomla/string/src/phputf8/native/core.php** on line **33**

Deprecated: Function utf8_decode() is deprecated since 8.2, visit the php.net documentation for various alternatives in **/home/beqsaleshost/public_html/libraries/vendor/joomla/string/src/phputf8/native/core.php** on line **33**

Deprecated: Function utf8_decode() is deprecated since 8.2, visit the php.net documentation for various alternatives in **/home/beqsaleshost/public_html/libraries/vendor/joomla/string/src/phputf8/native/core.php** on line **33**

Deprecated: Function utf8_decode() is deprecated since 8.2, visit the php.net documentation for various alternatives in **/home/beqsaleshost/public_html/libraries/vendor/joomla/string/src/phputf8/native/core.php** on line **33**


Deprecated: Function utf8_decode() is deprecated since 8.2, visit the php.net documentation for various alternatives in **/home/beqsaleshost/public_html/libraries/vendor/joomla/string/src/phputf8/native/core.php** on line **33**

Deprecated: Function utf8_decode() is deprecated since 8.2, visit the php.net documentation for various alternatives in **/home/beqsaleshost/public_html/libraries/vendor/joomla/string/src/phputf8/native/core.php** on line **33**

Deprecated: Function utf8_decode() is deprecated since 8.2, visit the php.net documentation for various alternatives in **/home/beqsaleshost/public_html/libraries/vendor/joomla/string/src/phputf8/native/core.php** on line **33**

Deprecated: Function utf8_decode() is deprecated since 8.2, visit the php.net documentation for various alternatives in **/home/beqsaleshost/public_html/libraries/vendor/joomla/string/src/phputf8/native/core.php** on line **33**

Fisherbrand Nutating Mixer - Variable Speed


fisherbrand
TIME
SPEED
RUN
Start
Stop



Usable in non-CO2 incubators, refrigerators and chambers.

Rating: Not Rated Yet
Price
Sales price $450.00

Ask a question about this product

ManufacturerFisher Scientific

Description

Delivers gentle uniform mixing of fluids in tubes, plates, culture flasks and dishes. (Includes rubber mat, not pictured.)

Model 88861043

Variable speed from 2 to 60rpm offers gentle continuous mixing of samples. Low-profile, compact design enables placement at every workstation. 12 x 10.5 in. platform accommodates a variety of tubes and vessels. Display will show last used settings, even after power has been turned off.. Operating temperature range - 5° to 40°C, usable in non-CO2 incubators, refrigerators and chambers. Continue to run by last set speed and the remaining time when the power recovered. Continuous or timed operation with automatic switch-off. Audible and visual alarm: In timed mode, when the time reaches zero, alarm will sound five times, then the time window shows “End“ and flickers all the time. Alarm can be stopped by touch any key

Specifications
Rocking Angle: 20°
Speed Control Accuracy: ±1 rpm
Electrical Requirements: 100/240 V, 1 A, 9.5 W, 50/60 Hz
Temperature Range (Metric): 5°C to 40°C, usable in non-CO2 incubators, refrigerators and chambers
Load Bearing Capacity (English): 1.8 lb.
Plug Type: US Plug
Material: Aluminum Platform
Dimensions (L x W x H)16.3 x 11.5 x 10.7 in.(415 x 293 x 273 mm)
Description: 20° Tilt Nutating Mixer - Variable Speed
Includes: Dimpled rubber mat and six tube securing bands
Load Bearing Capacity (Metric): 0.8 kg
Speed Range: 2 to 60 rpm
Shipping Weight (English): 13.2 lb.
Alarms: Audible and Visual
Display: LED
Timer Range: 0 min. to 99:59 hr.

Comes with our 90-day warranty.

Biotech Equipment Sales, Inc.: based in South San Francisco, the Biotech capital of the world, since 2009. We are dedicated to bringing high-quality pre-owned laboratory instrumentation to our scientific community.

Biotech Equipment Sales, Inc.
226 Miller Ave.
South San Francisco, CA 94080
650-871-5707 office
650-276-7487 fax
sales@biotechequipmentsales.com